

ER REGULATORY CONTACT RECORD

Date/Time May 3, 2004/1500

Site Contact(s) Greg Pudlik
Phone 303 966-7698

Regulatory Contact Harlen Ainscough
Phone 303 692-3337

Agency CDPHE

Purpose of Contact Sample location changes at IHSS Group 700-2

Discussion

The following location issues were addressed and agreed upon during an April 28, 2004 telephone conversation with Mr Harlen Ainscough of the CDPHE

- The samples CG42-005, CG42-006, and CG42-009, located outside of Building 707, will have only one sample interval collected at a beginning depth corresponding to the base of the autoclave vault floor (approximately 16 5 feet below ground surface)
- Sample CF44-014 is a bias sample along OPWL outside the north side of B707 A concrete carbon tetrachloride tank is located nearby this location which may require relocation of the sample Mr Ainscough indicated that offsetting the location would be acceptable provided the OPWL continues to be targeted

Contact Record Prepared By Greg Pudlik


Required Distribution

M Aguilar, USEPA
S Bell, DOE-RFFO
J Berardini, K-H
B Birk, DOE-RFFO
L Brooks, K-H ESS
M Broussard, K-H RISS
L Butler, K-H RISS
G Carnival, K-H RISS
N Castaneda, DOE-RFFO
C Deck, K-H Legal
S Gunderson, CDPHE
M Keating, K-H RISS
G Kleeman, USEPA
D Kruchek, CDPHE
D Mayo, K-H RISS

R McCallister, DOE-RFFO
J Mead, K-H ESS
S Nesta, K-H RISS
L Norland, K-H RISS
K North, K-H ESS
E Pottorff, CDPHE
A Primrose, K-H RISS
R Schassburger, DOE-RFFO
S Serreze, K-H RISS
D Shelton, K-H ESS
C Spreng, CDPHE
S Surovchak, DOE-RFFO
K Wiemelt, K-H RISS
C Zahm, K-H Legal

Additional Distribution

Harlen Ainscough CDPHE
Nan Elzinga, URS
Tom Hanson, URS



Contact Record 6/20/02
Rev 6/20/02

DOCUMENT CLASSIFICATION
REVIEW WAIVER PER
CLASSIFICATION OFFICE
CEX-105-01

Page 1 of 1

ADMIN RECORD

IA-A-002136